

## ▶ Threaded Rod

**Material:** Steel

**Application:** brings versatility to jobsite, from hanging and mounting to retrofitting and bracing.



Trade Size	Diameter		Thread Size	Specification	Length	Strength(PSI)		Each Bundle	
	Inch	mm				Yield	Tensile	QTY	Wt.(kg)
1/4"	0.250	6.35	20	ASTM A307 Grade 2	3	40,000	60,000	50	25
3/8"	0.375	9.53	16	ASTM A307 Grade 2	3	40,000	60,000	25	30
1/2"	0.500	12.70	13	ASTM A307 Grade 2	3	40,000	60,000	10	22
M6	0.236	6	1.00	DIN 975 Class 4.6	3	34,000	58,000	50	23
M8	0.315	8	1.25	DIN 975 Class 4.6	3	34,000	58,000	25	20
M10	0.394	10	1.50	DIN 975 Class 4.6	3	34,000	58,000	20	26
M12	0.472	12	1.75	DIN 975 Class 4.6	3	34,000	58,000	15	29
M14	0.551	14	2.00	DIN 975 Class 4.6	3	34,000	58,000	10	25
M16	0.630	16	2.00	DIN 975 Class 4.6	3	34,000	58,000	10	34
M18	0.709	18	2.50	DIN 975 Class 4.6	3	34,000	58,000	5	23
M20	0.787	20	2.50	DIN 975 Class 4.6	3	34,000	58,000	5	29
M22	0.866	22	2.50	DIN 975 Class 4.6	3	34,000	58,000	3	22
M24	0.945	24	3.00	DIN 975 Class 4.6	3	34,000	58,000	3	25
M27	1.063	27	3.00	DIN 975 Class 4.6	3	95,000	120,000	3	32
M30	1.181	30	3.50	DIN 975 Class 4.6	3	95,000	120,000	2	27
M33	1.299	33	3.50	DIN 975 Class 4.6	3	95,000	120,000	1	17
M36	1.417	36	4.00	DIN 975 Class 4.6	3	95,000	120,000	1	19


**Note:** Customized length will also be produced upon special request

## ▶ Channel Nut with Spring

**Standard:** UL 2239 and CSA C22.2 No. 18.4-04

**Material:** Steel

**Application:** for use to attach strut fittings to the open face of channels



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
CNS1	M6	1	200	1.339	0.748
CNS2	M8	1	200	1.339	0.748
CNS3	M10	1	200	1.339	0.748
CNS4	M12	1	200	1.339	0.748
CNS9	1/4"	1	200	1.339	0.748
CNS10	5/16"	1	200	1.339	0.748
CNS11	3/8"	1	200	1.339	0.748
CNS12	1/2"	1	200	1.339	0.748


**Note:** If you need short type or without spring, please contact us.

## ▶ Top Beam Clamp

**Standard:** UL 2239 and CSA C22.2 No. 18.4-04

**Material:** Malleable Iron

**Application:** Clamps on beam, girder or similar structure to provide a mounting base



EVT#	Trade Size	Load Rating	Master QTY	Dim A (inch)	Dim B (inch)
BC11	M8	1200 LBS	100	19.300	20.000
BC12	M10	2500 LBS	100	20.400	23.000
BC13	M12	3500 LBS	100	26.600	27.000