


▶ Conduit Strap One Hole

Standard: UL 2239 and CSA C22.2 No. 18.4-04

Material: Steel

Application: for use to mount Rigid or IMC conduit to any surface



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
SP30	1/2"	150	1500	1.911	0.876
SP31	3/4"	100	1000	2.226	1.045
SP32	1"	50	500	2.615	1.292
SP33	1-1/4"	25	250	2.978	1.631
SP34	1-1/2"	20	200	3.658	1.858
SP35	2"	15	150	4.151	2.242
SP16 ∴	2-1/2"	1	120	5.000	1.300
SP17 ∴	3"	1	120	5.551	1.300
SP19 ∴	4"	1	60	6.860	1.300


∴ for EMT, IMC and Rigid

▶ Conduit Strap Two Hole

Standard: UL 2239 and CSA C22.2 No. 18.4-04

Material: Steel

Application: for use to mount Rigid or IMC conduit to any surface



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
SP40	1/2"	80	800	2.435	0.898
SP41	3/4"	80	800	2.800	1.062
SP42	1"	50	500	3.355	1.366
SP43	1-1/4"	25	250	4.108	1.698
SP44	1-1/2"	20	200	4.448	1.958
SP45	2"	15	150	5.351	2.242
SP26 ∴	2-1/2"	1	100	5.900	1.300
SP27 ∴	3"	1	100	6.680	1.300
SP29 ∴	4"	1	80	8.285	1.300

∴ for EMT, IMC and Rigid

▶ Conduit Strap One Hole

Standard: UL 2239 and CSA C22.2 No. 18.4-04

Material: Malleable Iron

Application: for securing Rigid or IMC conduit to any surface where greater load bearing is required



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
MS01	1/2"	1	1000	2.252	0.942
MS02	3/4"	1	500	2.556	1.221
MS03	1"	1	250	3.061	1.500
MS04	1-1/4"	1	200	3.692	1.878
MS05	1-1/2"	1	100	4.000	2.056
MS06	2"	1	25	5.062	2.561
MS07	2-1/2"	1	25	5.938	3.062
MS08	3"	1	25	7.442	3.808
MS10	4"	1	10	8.691	5.000